

Company Catalog



DIVINITY
TECH SUPPLIES FZC

Your One-Stop Solution For High-Quality Piping Material

(An ISO 9001 Certified Company)



1 OVERVIEW

2 MESSAGE FROM THE DIRECTOR

3 COMPANY VISION

4 WHY US?

5 CAPABILITY

6 PRODUCT RANGE

7 CLIENT LIST

8 CONTACT US



Overview



Divinity Tech Supplies FZC is an ISO 9001 certified company based in UAE, dedicated to supply of Engineering Products to the Oil, Gas, Power, Water, Steel, Chemical, Petrochemical and process industry. The company provides a complete one stop solution for all piping material, including Pipes, Tubes, Fittings, Flanges, Valves, Fasteners, Gaskets, Plates, Sheets and other Structural Steel material, Instrumentation/Electrical/Rotating and other process equipment. The company has consistently invested in hiring and retaining professional talent and has a healthy mix among its employees. These competent team members enable Divinity to serve its customers globally and deliver seamlessly.





BSCIC

Certificate

QUALITY MANAGEMENT SYSTEM

This is to certify that:

DIVINITY TECH SUPPLIES FZC

BC 1303906, AJMAN FREE ZONE, OPPOSITE TO AJMAN CUSTOM & PORT
AJMAN, UNITED ARAB EMIRATES

Hereby granted the Certificate Number: **BN20631/19542**

Subsequent to the **Assessment** of the organization, it has been found to be operating a Quality Management System which complies with the requirements of

ISO 9001:2015

For the following scope:

Supply of Pipes, Fittings, Flanges, Valves, Plates, Fasteners, Gaskets, Structural Steel and Instrumentation/ Electrical/Rotating/Process Equipments to the Oil, Gas, Power, Petrochemical, Water and Process Industry

IAF Scope: 29a

For
BSCIC CERTIFICATIONS PVT.LTD.

Sanjay Seth
Managing Director

Originally Registered: **15-Sep-2021** 1st Surveillance Due on: **02-Sep-2022**
Issue Date: **15-Sep-2021** 2nd Surveillance Due on: **02-Sep-2023**
Expiry Date: **14-Sep-2024**

(In case If Surveillance Audit is not allowed to be conducted; this Certificate shall be Suspended/Withdrawn).

Please Re-validate this certificate's status at www.bscic-icc.com at REGISTRATION STATUS.
This Certificate of Registration is granted subject to relevant provisions of the BSCIC Certifications PVT. LTD. Contract Terms & Scheme for Registration Form B018 (Latest Version). Please see B018 at our website www.bscic-icc.com.
The certificate of Registration remains the property of BSCIC Certifications Pvt. Ltd. and shall be returned immediately upon request.
BSCIC Headquarters: 8/Work, 1st Floor, 5B/15A, Crown Plaza Mall, Faridabad - 121 007, Haryana, India.

Version No. 1

Registered



Page 1 of 1



Message from the Director



“Over the last several years, Divinity Tech Supplies has built a brand image that is synonymous with Trust, Quality and Reliability. Our brand promises to be your one stop solution for Piping material with top notch quality and the best pricing available in the market.

Our team is backed with an understanding and experience in sourcing materials through suppliers globally. The company has implemented best practices in areas of supplier development, supply chain management and support services. This allows the operations team to manage complex projects through optimal sourcing and ensure timely deliveries.”

Rajesh Mahajan



Company's Vision

“To create a platform where the Customer-Supplier relationship and communication is transparent & smooth; a scenario where the customer has complete faith and reliability on the Divinity's ability to help their Suppliers to fully understand and comply the Techno - Commercial requirements of the customer for the desired product; where we lead our principals to carve a niche into the most appropriate market(s) according to their strengths”



Why us?

Best Price Guaranteed

We get you the best quality at the lowest possible price (from the mill/stock) available in market



Understanding Customer's needs

We ensure that the manufacturers understand the techno commercial aspects of the RFQ properly and follow the same.



Offices in UAE & India

A collective strength of 15+ people, who can visit any part of the world, anytime, for post-order expediting issues



After Sales Support

For any After-Sales issue, we have dedicated people who can give site full support and solve the same.





One of the main business offerings of Divinity is project package supplies, which relies heavily on effective Project Management for timely execution. The implementation of a homegrown “Planning and Scheduling” system tool has helped establish a systematic and structured approach for project execution and control. The system helps break down the job into main activities with their critical milestones. These milestones are outlined with initiation and completion time-frame and are then monitored and supervised effectively to avoid any variance, ensuring that the task adheres to the predetermined critical path and completion times.

Projects are managed by dedicated Project Engineers in close coordination with various departments, which ensures that project execution is managed smoothly and seamlessly. Customers are always kept updated on the project status through regular progress meetings, progress reports, variance monitoring, and catch-up sessions to ensure timely completion of all tasks. An end-to-end ownership methodology is adopted from receipt of the client’s purchase order right up to the delivery of materials and submission of the necessary project documentation. Divinity’s endeavour is always to deliver what we promise and achieve complete customer satisfaction.



Our Product Range

1) Pipes

Supplier of a wide range of Seamless and Welded pipes in most industrial grades of

- Stainless steel (including Duplex & Super Duplex)
- Alloy steel (including Inconel & Copper Nickel alloys)
- Carbon steel

(Sizes and materials as per table in next page)



Pipes - Range

Material	Type	Spec	Grade	Range
Carbon Steel	Seamless	ASTM A53 ASTM A106 ASTM A333	Grade A,B Grade A,B,C Grade 1-11	1/4" -24"
	Welded (ERW, EFW, LSAW, HSAW, SSAW)	API5L	X42, X52, X60, X65,X70,X80, X46, X56, PSL1,PSL2	2"- 80"
Alloy Steel	Seamless	ASTM A335 ASTM B423	P1, P11, P12, P22, P5, P9, P91, P92, UNS N08825, UNS N06625, N0822	1/2" -24"
	Welded	ASTM B407 A691	UNS N08800, UNS N08810, 1CR, 1 1/4CR, 2 1/4 CR, 5 CR, 9 CR, 91	2"- 80"
Stainless steel (Including Duplex and Super Duplex)	Seamless	ASTM A312	TP304/304L, TP316/316L TP321, TP321H, TP347, TP347H,	1/4"- 24"
	Welded	ASTMA790	UNS S31803, UNS S32750, UNS32205, and UNS31500	14"- 60"

Pipes - Range

Material	Type	Spec	Grade	Range
Copper-Nickel Alloys	Seamless	ASTM B 111, BS 2871 PART 3, JIS H 3300, EEMUA Pub 144	C 70600, CN 102, C 7060,C7060X, 90/10 CuNi	1/4" -12"
	Welded			2" - 60"


Our Product Range

2) Tubes

Supplier of a wide range of Seamless Tubes in most industrial grades of

- Stainless steel (including Duplex & Super Duplex)
- Alloy steel (including Inconel & Copper Nickel alloys)
- Carbon steel

(Sizes and materials as per table in next page)



Tubes - Range

Types	Spec	Grade	Range
Boiler, Heat Exchanger & Pressure Vessel Tubing	ASTM A213, ASTM A789, ASTM A268 ASTM A53, ASTM A334 ASTM A106	304H, 310H, 321H, 347H, 347HFG Gr A, B Gr 1,3,6,7 Gr A, B, C	OD; 6mm to 152.4mm WT: 0.5mm to 25.4mm Length: Maximum: 25 metres
Duplex & Super Duplex Stainless Steel Tube	ASTM A789	UNS S31803, UNS S32205, UNS S31500, UNS S32304, UNS S32750, S32760	
Instrumentation & Hydraulic Tubing	ASTM A269, ASTM A213	TP304,TP304L, TP316,TP316L, TP321,TP347,TP347H	
Finned Tubes	For more details, please contact our sales team		

Our Product Range

3) Fittings

Supplier of Forged and Butt-weld fittings in most industrial grades of

- Stainless steel (including Duplex & Super Duplex)
- Alloy steel (including Inconel & Copper Nickel alloys)
- Carbon steel

(Sizes and materials as per table in next page)



Fittings- Range

Material	Construction	Specs	Grade	Range
Carbon Steel	Seamless/ Welded	A234 A350 A860 A420	WPB WPHY42, WPHY52, WPHY60, WPHY65 WPHY42, WPHY52, WPHY60,WPHY 65 WPL6	2"-60"
	Forged	A105N A350 A694	LF2 F42, F52, F60, F65	1/4"- 2"
Alloy Steel (Including Nickel Alloys)	Seamless/ Welded	A234 B366	WP11, WP22, WP5, WP91 UNS N06625, N08800, N08825	2"-60"
	Forged	A182	F1, F5, F11, F12, F22, F91, F92	1/4"-4"
Stainless Steel	Seamless/ Welded	A403 A815	WP304/304L, WP316/316L UNS S31803, UNS S32750	2"-60"
	Forged	A182	F304/304L, F316/316L F50, F51, F52, F53, F54, F55, F57, F60, F61	1/4"- 2"

Our Product Range

4) Flanges

Supplier of a wide range of ASME flanges in class 150 to 2500 and API flanges in class 2000 to 20000.

(Sizes and materials as per table in next page)



Flanges- Range

Types: Weld Neck Flanges, Ring Joint Type, Slip-on Flanges, Ring Joint Type, Lap Joint Flanges, Blind Flanges, Socket Welding Flanges, Threaded Flanges, Reducing Flanges.

Standards: ASME B 16.5 AND ASME B16.47 Series A/B


Material	Spec	Grade	Range
Carbon Steel	ASTM A105N, ASTM A350 ASTM A694, ASTM A707	LF1, LF2, LF3 F42, F52, F60, F65 L3 CL3, L5 CL3	1/2"-80"
Alloy Steel	ASTM A182 ASTM B564	F5, F9, F11, F12, F22, F91, F92 Inconel 625/825	1/2"-60"
Stainless Steel (Includes Duplex and Super Duplex)	ASTM A182	F304/304L, F316/316L F50, F51, F52, F53, F54, F55, F57, F60, F61, UNS 32750, UNS 32760, UNS S31803, UNS S32205	1/2"- 60"

Our Product Range

5) Plates and Sheets

Supplier of a wide range of SS and Alloy Steel Plates, Sheets and coils as per below table.

(Sizes and materials as per table in next page)



Plates and Sheets- Range

Material	Specs	Grade	Thickness	Size
Carbon Steel and Stainless Steel Plates and Sheets	ASTM A240 ASTM A36	SS304 SS 304L SS 310S SS 316 ,SS 316 , SS 316L SS 317L SS 321, SS 347 SS 410 (Plate,Sheet,Coils,Strips	4mm to 100mm	Various sizes in dimensions from 1000mm to 6000mm(Details available on request)
Inconel Plates and Sheets	ASTM B168	Inconel 600, Inconel 601, Inconel 625, Inconel 800, Inconel 825	0.1mm to 12mm	Various sizes in dimensions from 1000mm to 6000mm(Details available on request)

Our Product Range

6) Valves

Supplier of a wide range of Ball, Gate, Globe, Check and Double Block and Bleed Valves, manually operated as well as Actuated valves.

(Sizes and materials as per table in next page)



Valves- Range

Gate Valves:

Class	Size Range	Body Material	Applicable standards
150	1/2"-40"	A variety of grades of Carbon Steel, Stainless Steel, and Alloy Steel such as ASTM A216 WCB, ASTM A351 CF8M, ASTM A995 Gr 5A. ASTM A105N, ASTM A182 F53, ASTM A182 F316L	API 602, API 600, API 598, API 6D, MESC 77/101 & 102, MESC 77/312, MESC 77/300A, ISO 10497, ISO 5208, BS 6364, ISO 15848
300	1/2"-36"		
600	1/2"-24"		
900	1/2"-12"		
1500	1/2"-8"		
2500	1/2"-2"		
800	1/2"-2"(Socket Weld)		

Valves- Range

Ball Valves:

Class	Size Range	Body Material	Applicable standards
150	1/2"-40"	A variety of grades of Carbon Steel, Stainless Steel, and Alloy Steel such as ASTM A216 WCB, ASTM A351 CF8M, ASTM A995 Gr 5A. ASTM A105N,ASTM A182 F53, ASTM A182 F316L	API 6D, API 608, API 598, MESC SPE 77/130,77/300, 77/210, ASME B 16.34, BS EN ISO 17292
300/600/900	1/2"-24"		
1500/2500	1/2"-6"		
800	1/2"-2"(Socket Weld		

Valves- Range

Check Valves:

Class	Size Range	Body Material	Applicable standards
150	1/2"-40"	A variety of grades of Carbon Steel, Stainless Steel, and Alloy Steel such as ASTM A216 WCB, ASTM A351 CF8M, ASTM A995 Gr 5A. ASTM A105N, ASTM A182 F53, ASTM A182 F316L	API 602, MESC SPE 77/103, BS 1873, ASME B 16.34, API 598, API 6D, MESC 77/101 & 102, MESC 77/312, MESC 77/300A, ISO 10497, ISO 5208, BS 6364, ISO 15848
300	1/2"-36"		
600	1/2"-24"		
900	1/2"-12"		
1500	1/2"-8"		
2500	1/2"-2"		
800	1/2"-2"(Socket Weld		

Valves- Range

Globe Valves:


Class	Size Range	Body Material	Applicable standards
150	1/2"-40"	A variety of grades of Carbon Steel, Stainless Steel, and Alloy Steel such as ASTM A216 WCB, ASTM A351 CF8M, ASTM A995 Gr 5A. ASTM A105N, ASTM A182 F53, ASTM A182 F316L	API 6D, API 608, API 598, MESC SPE 77/130, 77/300, 77/210, ASME B 16.34, BS EN ISO 17292
300	1/2"-36"		
600	1/2"-24"		
900	1/2"-12"		
1500	1/2"-8"		
2500	1/2"-2"		
800	1/2"-2"(Socket Weld)		

Our Product Range

6) Cables

Supplier of a wide range of (Instrumentation, Signal, Control, Power, Fire Alarm & Plant Communication, PVC & Jelly Filled Telephone Cables)

(Sizes and materials as per table in next page)



Cables- Range

Type	Description	Size
Instrumentation/Signal Cables for Process Control & Instrumentation	<p>Conductor – Stranded/Solid – Plain/Tinned.</p> <p>Insulation – PVC/HR PVC/PE/Zero Halogen/ Foam PE/XLPE.</p> <p>Shielding – Individual Pair/Over all pairs.</p> <p>Drain Wire – Solid/Stranded – (ATC).</p> <p>Inner sheath – PVC/HR PVC/Zero Halogen.</p> <p>Unarmoured/Armoured – G.I.</p> <p>Round Wire, Flat Strip.</p>	<p>PVC Sheathed 651/1100 V grade cables as per B: S 5308/DIN VDE 0815 & 816/IS: 1554/IEC: 189.</p> <p>Fire characteristics as per IEC 60332 & 60331.</p> <p>Size: 0.5/0.75/1.0/1.5 Sq. mm.</p>
Copper Control Cables for power switch yard control/ relay equipment..	<p>Conductor – Stranded/Solid – Plain/Tinned.</p> <p>Insulation – PVC/HR PVC/XLPE.</p> <p>Inner sheath – PVC/HR PVC/Zero Halogen/ FRLS.</p> <p>Unarmoured/Armoured – G.I.</p> <p>Round Wire, Flat Strip.</p> <p>Outer sheath – PVC/HR PVC/Zero Halogen/ FRLS.</p> <p>Additional Option – Overall shielding with Aluminum Mylar tape/copper tape.</p>	<p>Annealed electrolytic copper conductor, PVC/XLPE insulated, PVC Sheathed 65/1000 V Grade as per IS: 1554-IS: 7098-I.</p> <p>Size: 1.5/2.5 Sq. mm. up to 61 core 4 & 6 Sq. mm up to 12 Core..</p>

Cables- Range

Type	Description	Size
Power Cable for Multistoried Projects / Infra – Structures & Plants up to 1.1 Kv.	<p>Conductor – Aluminum/Copper.</p> <p>Insulation – PVC/XLPE.</p> <p>Inner sheath – Extruded PVC/Tape wrap.</p> <p>Armouring – G.I. Wire/Strip/Tape.</p> <p>Jacket – PVC/HR PVC FR</p>	Available in 2 core, 3 core, 3.5 core & 4 core unarmoured & armoured Type.
Jelly filled telecom cables for communication system.	<p>Conductor – Annealed bare copper.</p> <p>Insulation – PE/Foam PE.</p> <p>Filling – Jelly.</p> <p>I/O Sheath – PE.</p> <p>Armouring – Galvanized double steel tape G.I. wire/strip.</p>	<p>Annealed bare copper cond. PE ins. twisted pair, laid up jelly filled PE sheath.</p> <p>Spec. No. – G-CUG-01/02 Feb-96 CW 1128/1179, CW 1198, CW 1236</p> <p>Size: 0.4/0.5/0.6/0.8/0.9 mm.</p>
Thermocouple extension compensating cables for Boilers/Furnace/Heat Treatment industry.	<p>Conductor – Chromel-Alumel, Iron Constantan, Copper-Copper Nickel etc.</p> <p>Insulation – PVC/HR PVC/XLPE.</p> <p>Drain Wire – Stranded/Solid ATC.</p> <p>Inner sheath – PVC/HR PVC/XLPE.</p> <p>Unarmoured/Armoured – G.I. Wire/Strip.</p> <p>Outer sheath – PVC/HR PVC/FRZH/FRLS.</p>	<p>Annealed bare copper cond. PE ins. twisted pair, laid up jelly filled PE sheath.</p> <p>Spec. No. – G-CUG-01/02 Feb-96 CW 1128/1179, CW 1198, CW 1236</p> <p>Size: 0.4/0.5/0.6/0.8/0.9 mm.</p>

Our Product Range

7) Process Skids and Fabrication services

Engineering, Procurement, Fabrication and Supply of :

1. Lube Oil System Skids
2. Dry Gas Seal Panels
3. API Pump Sealing Flushing Plans
4. Compressor Suction Strainers
5. Rotor Storage Containers
6. Process Skids such as Metering, Dosing Skids, Filtration skids,
7. Prefabricated Piping spools



Our Product Range

8) Other Products

- Fasteners and Gaskets
- Instrumentation Hook up Material- Fittings, Valve Manifolds, Air Distribution headers, condensate pots etc
- Cladded Pipes, Fittings, Flanges and Valves
- Induction Bends
- Expansion Joints
- Pumps
- Heat exchangers and Pressure vessels



Our Clients

 أدنوك ADNOC	 ديوا dewa	 اينوك enoc	 دبي للبترول Dubai Petroleum
 Lamprell	 TARGET	 A Navratna Company	 Reliance Industries Limited
 AL NASR Contracting Company L.L.C.	 KNPC	 PETRONASH	 ROBT STONE
 हिन्दुस्तान पेट्रोलियम HP	 SAIPEM	 Fujairah Oil Terminal FZC	 LARSEN & TOUBRO
 METALFAB	 جلفار Gulfar	 DOOSAN	 Petrofac
 Alderley	 ENERFLEX	 FRAMES a family of oil & gas solutions	 LEWA
 इंडियन ऑयल IndianOil INDIAN OIL CORP. LTD.	 ODS Metering Systems klöckner & co	 PEERLESS	 suez environnement
 TOYO ENGINEERING	 شركة تنمية نفط عمان Petroleum Development Oman	 NPCC شركة النفط والغاز الوطنية	 FLUOR
 गैल GAIL	 Bharat Petroleum	 PEG CONTRACTING	 Accudyne INDUSTRIES
 एनटीपीसी NTPC	 AL ASAB EST. GEN. TRANSP. & CONTRACTING	 Kuwait Oil Company	 CELEROS FLOW TECHNOLOGY

Contact Us



Address

PO Box 932, Ajman Free Zone,
Opposite To Ajman Custom & Port,
Ajman, UAE



Phone

+971568238599,
+919891277227



Email

info@divinityfzc.com ,
rajat.mahajan@divinityfzc.com



Website

www.divinityfzc.com

